

according to Regulation (EC) No. 1907/2006

Revision Date 02.10.2018

Version 8.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

In compliance with the conditions described in the annex to this safety

data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Index-No. 035-002-01-8

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 SubstanceNot applicable

3.2 Mixture

Index-No. 035-002-01-8

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Hydrobromic acid (>= 40 % - < 50 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

10035-10-6 01-2119479072-39-

XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath

Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

hydrogen bromide

5.3 Advice for firefighters

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Hydrobromic acid (10035-10-6)

Worker DNEL, acute Local and systemic effects inhalation 6,7 mg/m³

Worker DNEL, Local and systemic effects inhalation 6,7 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

Hydrobromic acid (10035-10-6)

PNEC Fresh water 0,019 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm
Break through time: 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm
Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour No information available.

Odour stinging

Odour Threshold No information available.

pH at 20 °C

strongly acid

Melting point ca. -11 °C

Boiling point/boiling range 126 °C

at 1.013 hPa

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure 10,6 hPa

at 20 °C

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Density 1,49 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 10 mPa.s

at 20 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

alkali hydroxides, Ozone, vinylmethyl ether

Risk of ignition or formation of inflammable gases or vapours with:

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Fluorine, Metals

Risk of explosion with:

Alkali metals, Potassium

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Metals

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Handle in accordance with good industrial hygiene and safety practice.

Other dangerous properties can not be excluded.

Components

Hydrobromic acid

No information available.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Forms corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

Components

Hydrobromic acid

Biodegradability

Not applicable for inorganic substances

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1788

14.2 Proper shipping name HYDROBROMIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous ---

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 1788

14.2 Proper shipping name HYDROBROMIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

14.1 UN number UN 1788

14.2 Proper shipping name HYDROBROMIC ACID

14.3 Class 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of $\geq 0.1 \%$ (w/w).

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

National legislation

Storage class 8B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis)

Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC1 Use in closed process, no likelihood of exposure

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC3 Use in closed batch process (synthesis or formulation)

Environmental Release Categories

ERC1 Manufacture of substances

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

ERC6b Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC1, ERC4, ERC6a, ERC6b

Amount used

Annual amount per site 4500 t

Environment factors not influenced by risk management

Flow rate 73.440 m3/d

Other given operational conditions affecting environmental exposure

Number of emission days per year 330 Emission or Release Factor: Water 0.5 %

Emission or Release Factor: Water < 130 kg/day

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Emission or Release Factor: Air 0,024 kg/day

Technical conditions and measures / Organizational measures

Air Use of air emission abatement equipments. Sodium hydroxide

scrubber for neutralisation of acidic waste gases

Water Solutions with low pH-value must be neutralized before

discharge.

Conditions and measures related to municipal sewage treatment plant

Sludge Treatment Sewage sludge should be incinerated.

2.2 Contributing scenario controlling worker exposure for: PROC1

Product characteristics

Physical Form (at time of use) Aqueous solution

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

Remarks Enclosed process

Technical conditions and measures

Ensure material transfers are under containment or extract ventilation.

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection. Wear suitable coveralls to prevent exposure to the skin. Wear face protection.

2.3 Contributing scenario controlling worker exposure for: PROC2, PROC3

according to Regulation (EC) No. 1907/2006

Catalogue No. 100307

Product name Hydrobromic acid 47% for analysis EMSURE® ACS,ISO

Product characteristics

Physical Form (at time of use) Aqueous solution

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

Remarks Enclosed process

Technical conditions and measures

Ensure material transfers are under containment or extract ventilation.

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection. Wear suitable coveralls to prevent exposure to the skin. Wear face protection.

Wear respiratory protection. Effectiveness (of a measure): 90 %

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method	
2.1	ERC1, ERC4, ERC6a,		All compartments		Qualitative assessment used to	
	ERC6b				conclude safe use.	

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.2	PROC1	longterm, inhalative, local	< 0,01	ECETOC TRA
		longterm, inhalative, systemic	< 0,01	ECETOC TRA

Catalogue No

2.3

PROC3

according to Regulation (EC) No. 1907/2006

Product name			Hydrobromic acid 47% for analysis EMSURE® ACS,ISO				
2.3	PROC2	longterm, inhalative, local	0,25	ECETOC TRA			

0,25

0,50

0,50

ECETOC TRA

ECETOC TRA

ECETOC TRA

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

For (other) acute and local effects risk management measures are based on qualitative risk characterisation.

100307

longterm, inhalative, systemic

longterm, inhalative, local longterm, inhalative, systemic

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.