



Safety Data Sheet Vanadium(V) oxide

Section 1: Chemical Product and Company Identification

Product Name: Vanadium(V) oxide Contact Information:

Catalog Codes: 554

CAS#: 1314-62-1 Email: info@drm-chem.com

RTECS: - Address: #7, Afshar javan Alley, Sohrevardi

St ,Tehran, Iran

post code: 1551818111

Tehran Sales: +98 21 88177760 Chemical Formula: V_2O_5

Order Online: Drm-chem.com

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS#	% by Weight
Vanadium(V) oxide	1314-62-1	100

Toxicological Data on Ingredients: LD50 Oral - Rat - female - 466,93 mg/kg. LC50 Dermal - Rat - male and female - > 2.500 mg/kg.

Section 3: Hazards Identification

Classification of the substance or mixture

Synonym: Vanadic anhydride, Vanadium pentoxide

Chemical Name: Vanadium(V) oxide

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Reproductive toxicity (Category 2), H361fd

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Respiratory

Tract. H372

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word Danger

Hazard statement(s)

H302 + H332
 H318
 H335
 H341
 Harmful if swallowed or if inhaled.
 Causes serious eye damage.
 May cause respiratory irritation.
 Suspected of causing genetic defects.

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

H372 Causes damage to organs (Respiratory Tract) through

prolonged or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard statement(s)

H341 Suspected of causing genetic defects.

H372 Causes damage to organs through prolonged or repeated

exposure if inhaled.

H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the

unborn child.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 4: First Aid Measures

Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 3) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire and Explosion Data

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Vanadium/vanadium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

Section 7: Handling and Storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 3.

Conditions for safe storage, including any incompatibilities Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Section 8: Exposure Controls/Personal Protection

Control parameters Ingredients with workplace control parameters Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Section 9: Physical and Chemical Properties		
Information on basic physical and chemical properties a) Physical state solid		
b) Color	No data available	
c) Odor	No data available	
d) Melting point/freezing point	Melting point/range: 690 °C - lit.	
e) Initial boiling point and boiling range	ca.1750 °C - (decomposition)	
f) Flammability (solid, gas)	No data available	
g) Upper/lower flammability or explosive limits	No data available	
h) Flash point	Not applicable	
i) Autoignition temperature	No data available	
j) Decomposition	No data available	

temperature

k) pH 4 (20 °C)

I) Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility slight (0.1-1%)

n) Partition coefficient:

n-octanol/water

Not applicable for inorganic substances

o) Vapor pressure No data available

p) Density 3,35 g/cm3 at 25 °C - lit.

Relative density 3,65 at 21,7 °C - OECD Test Guideline 109

q) Relative vapor

density

r) Particle No data available

characteristics

s) Explosive properties

No data available

t) Oxidizing properties none

Other safety information

Solubility in other

Solubility in our

solvents

Ethanol - insoluble

Section 10: Stability and Reactivity Data

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

Exothermic reaction with:

Alkali metals

halogen-halogen compounds

Acids

Risk of explosion with:

performic acid

Risk of ignition or formation of inflammable gases or vapours with:

Alkaline earth metals

highly flammable solvents

oxidisable substances

sulfur

(in the presence of atmospheric oxygen and/or moisture)

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

Section 11: Toxicological Information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 466,93 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 466,93 mg/kg

(Calculation method)

LC50 Inhalation - Rat - female - 4 h - 2,21 mg/l - dust/mist

(OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract, Lung edema

LC50 Dermal - Rat - male and female - > 2.500 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - in vitro test

Result: No skin irritation - 15 min

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Inhalation Method: OECD Test Guideline 474

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay

Species: Mouse

Application Route: Inhalation Method: OECD Test Guideline 488

Result: negative

Test Type: comet assay

Species: Mouse

Application Route: Inhalation

Result: negative Remarks: (ECHA)

Carcinogenicity No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. -

Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Additional Information

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated

Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Section 12: Ecological Information

Toxicity

Toxicity to fish semi-static test LC50 - Leuciscus idus (Golden orfe) - 0,693 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia semi-static test LC50 - Americamysis bahia (Mysid) - 13,3 mg/l - 48

and other aquatic h

invertebrates (US-EPA)

Toxicity to bacteria static test EC50 - activated sludge - > 100 mg/l - 3 h

(OECD Test Guideline 209)

Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

Product:

Assessment :The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects

No data available

Section 13: Disposal Considerations

Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself

Section 14: Transport Information

UN number

ADR/RID: 2862 IMDG: 2862 IATA: 2862

UN proper shipping name

ADR/RID: VANADIUM PENTOXIDE IMDG: VANADIUM PENTOXIDE IATA: Vanadium pentoxide

Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

Special precautions for user

No data available

Section 15: Other Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European : ENVIRONMENTAL HAZARDS

Parliament and of the Council on the control of major-accident hazards involving dangerous

substances.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Section 16: Other Information

References: Not available

Other Special Considerations: Not available

Created: 01/02/2023

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of theInformation for their particular purposes. In no event shall *Drm-chem.com* be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if *Drm-chem.com* has been advised of the possibility of such damages.