

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.9 Revision Date 02.07.2024 Print Date 20.09.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers

Product name : Ethylene glycol for analysis EMSURE® Reag.

Ph Eur, Reag. USP

: 1.09621 Product Number Catalogue No. : 109621 Brand : Millipore Index-No. : 603-027-00-1

REACH No. 01-2119456816-28-XXXX

107-21-1 CAS-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

: Sigma-Aldrich Chemie GmbH Company

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone +49 (0)89 6513-1130 Fax +49 (0)89 6513-1161

E-mail address technischerservice@merckgroup.com

1.4 **Emergency telephone**

Emergency Phone # 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

SECTION 2: Hazards identification

Classification of the substance or mixture

H302: Harmful if swallowed. Acute toxicity, (Category 4)

Specific target organ toxicity -H373: May cause damage to organs

repeated exposure, (Category 2), through prolonged or repeated exposure if Kidney

swallowed.

Millipore- 1.09621 Page 1 of 13



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H373 May cause damage to organs (Kidney) through prolonged or

repeated exposure if swallowed.

Precautionary Statements

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal

plant.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Warning

Hazard Statements none
Precautionary Statements none
Supplemental Hazard none

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Millipore- 1.09621 Page 2 of 13

A

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : C2H6O2 Molecular weight : 62,07 g/mol CAS-No. : 107-21-1 EC-No. : 203-473-3 Index-No. : 603-027-00-1

Component		Classification	Concentration
ethylene glycol			
CAS-No. EC-No. Index-No.	107-21-1 203-473-3 603-027-00-1	Acute Tox. 4; STOT RE 2; H302, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Millipore- 1.09621 Page 3 of 13



5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 1.09621 Page 4 of 13

M

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Derived ito Effect Level (Ditte)				
Application Area	Routes of exposure	Health effect	Value	
Worker DNEL, longterm	dermal	Systemic effects		
Worker DNEL, longterm	inhalation	Local effects	35 mg/m3	
Consumer DNEL, longterm	dermal	Systemic effects		
Consumer DNEL, longterm	inhalation	Local effects	7 mg/m3	

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	10 mg/l
Sea water	1 mg/l
Aquatic intermittent release	10 mg/l
Fresh water sediment	20,9 mg/kg
Soil	1,53 mg/kg
Sewage treatment plant	199,5 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

internet. www.kci.de)

Millipore- 1.09621 Page 5 of 13



Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection protective clothing

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Physical state liquid b) Color colorless c) Odor odorless

d) Melting Melting point: -13 °C at 1.013 hPa

point/freezing point

197,4 °C at 1.013 hPa e) Initial boiling point and boiling range

Flammability (solid, No data available f)

gas)

Upper/lower Upper explosion limit: 15,3 %(V) flammability or Lower explosion limit: 3,2 %(V)

explosive limits

h) Flash point 115 °C - open cup

412 °C Autoignition temperature at 1.013 hPa No data available j) Decomposition

temperature

No data available k) pH

Viscosity, kinematic: No data available Viscosity Viscosity, dynamic: No data available

m) Water solubility at 20 °C completely miscible

Partition coefficient: log Pow: -1,36 - Bioaccumulation is not expected.

n-octanol/water

Millipore- 1.09621 Page 6 of 13

o) Vapor pressure 1 hPa at 51,1 °C

p) Density 1,113 g/cm3 at 20 °C

Relative density No data available

q) Relative vapor

density

No data available

r) Particle characteristics

No data available

s) Explosive properties No data available

t) Oxidizing properties none

9.2 Other safety information

Surface tension 48,4 mN/m at 20 °C

Relative vapor

density

2,14 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Aluminum

perchloric acid

Risk of ignition or formation of inflammable gases or vapours with:

chromyl chloride

Strong oxidizing agents

chlorates

Peroxides

potassium permanganate

Exothermic reaction with:

chlorosulfonic acid

Sodium hydroxide

fuming sulfuric acid

sulfuric acid

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

various plastics, Strong oxidizing agents

Millipore- 1.09621 Page 7 of 13



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 500,1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LC50 Inhalation - Rat - male and female - 6 h - > 2,5 mg/l - aerosol

Remarks: (ECHA)

LD50 Dermal - Mouse - male and female - > 3.500 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 20 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: dominant lethal test

Species: Rat

Application Route: Oral

Result: negative Remarks: (ECHA) Carcinogenicity

Millipore- 1.09621 Page 8 of 13

A

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

agitation CNS disorders

Systemic effects:

After a latency period:

Tiredness ataxia (impaired locomotor coordination) Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Central nervous system - Irregularities - Based on Human Evidence

Millipore- 1.09621 Page 9 of 13



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 72.860

mg/l - 96 h (US-EPA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test NOEC - Pseudokirchneriella subcapitata (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to

flow-through test LC50 - Menidia peninsulae (tidewater silverside) -

fish(Chronic toxicity) > 1.500 mg/l - 28 d

Remarks: (ECHA)

The value is given in analogy to the following substances: triethylene

glycol

Toxicity to daphnia and other aquatic

semi-static test NOEC - Ceriodaphnia dubia (water flea) - 8.590 mg/l

and other aquatic - 7 d invertebrates(Chronic (US-EPA)

toxicity)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 10 d

Result: 90 - 100 % - Readily biodegradable.

(OECD Test Guideline 301A)

Biochemical Oxygen 780 mg/g

Demand (BOD) Remarks: (IUCLID)

Chemical Oxygen 1.190 mg/g

Demand (COD) Remarks: (IUCLID)

Theoretical oxygen 1.290 mg/g

demand Remarks: (IUCLID)

Ratio BOD/ThBOD 60 %

Remarks: (IUCLID)

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.09621 Page 10 of 13

A

12.6 Endocrine disrupting properties **Product**:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Millipore- 1.09621 Page 11 of 13



Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure if

swallowed.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Millipore- 1.09621 Page 12 of 13



Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.09621 Page 13 of 13

M