

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.10

Revision Date 03.04.2024

Print Date 15.09.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Sodium rods (protective liquid: paraffin oil)  
for synthesis

Product Number : 8.22284  
Catalogue No. : 822284  
Brand : Millipore  
Index-No. : 011-001-00-0  
REACH No. : 01-2119484805-27-XXXX  
CAS-No. : 7440-23-5

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Chemical for synthesis

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Chemie GmbH  
Eschenstrasse 5  
D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130  
Fax : +49 (0)89 6513-1161  
E-mail address : technischerservice@merckgroup.com

**1.4 Emergency telephone**

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)  
+49 (0)696 43508409 (CHEMTREC  
weltweit)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Substances and mixtures which  
in contact with water emit  
flammable gases, (Category 1) H260: In contact with water releases  
flammable gases which may ignite  
spontaneously.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye



1B) damage.

Serious eye damage, (Category 1) H318: Causes serious eye damage.

## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard Statements

H260

In contact with water releases flammable gases which may ignite spontaneously.

H314

Causes severe skin burns and eye damage.

Precautionary Statements

P223

Do not allow contact with water.

P231 + P232

Handle and store contents under inert gas. Protect from moisture.

P260

Do not breathe dusts or mists.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU)

EUH014

Reacts violently with water.

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard Statements

H314

Causes severe skin burns and eye damage.

Precautionary Statements

P260

Do not breathe dusts or mists.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Supplemental Hazard information (EU)  
EUH014 Reacts violently with water.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula : Na  
Molecular weight : 22,99 g/mol  
CAS-No. : 7440-23-5  
EC-No. : 231-132-9  
Index-No. : 011-001-00-0

| Component     |              | Classification                                             | Concentration |
|---------------|--------------|------------------------------------------------------------|---------------|
| <b>sodium</b> |              |                                                            |               |
| CAS-No.       | 7440-23-5    | Water-react 1; Skin Corr. 1B; Eye Dam. 1; H260, H314, H318 | <= 100 %      |
| EC-No.        | 231-132-9    |                                                            |               |
| Index-No.     | 011-001-00-0 |                                                            |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.



**If swallowed**

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Sand Special powder against metal fire Cement

**Unsuitable extinguishing media**

Foam Water

**5.2 Special hazards arising from the substance or mixture**

Sodium oxides

Combustible.

Self-ignition possible without protective liquid.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Caution! in contact with water product releases:

Hydrogen, Sodium hydroxide solution

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.  
For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.



### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.  
For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep away from heat and sources of ignition.  
Never allow product to get in contact with water during storage.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

##### Derived No Effect Level (DNEL)

| Application Area  | Routes of exposure | Health effect | Value |
|-------------------|--------------------|---------------|-------|
| No data available |                    |               |       |

##### Predicted No Effect Concentration (PNEC)

| Compartment       | Value |
|-------------------|-------|
| No data available |       |



## 8.2 Exposure controls

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### Body Protection

Flame retardant antistatic protective clothing.

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.



---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                 |                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------|
| a) Physical state                               | solid                                                                            |
| b) Color                                        | silver                                                                           |
| c) Odor                                         | odorless                                                                         |
| d) Melting point/freezing point                 | Melting point: 97,8 °C at 1.013 hPa                                              |
| e) Initial boiling point and boiling range      | 883 °C at 1.013 hPa                                                              |
| f) Flammability (solid, gas)                    | No data available                                                                |
| g) Upper/lower flammability or explosive limits | No data available                                                                |
| h) Flash point                                  | 82 °C                                                                            |
| i) Autoignition temperature                     | No data available                                                                |
| j) Decomposition temperature                    | No data available                                                                |
| k) pH                                           | No data available                                                                |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | Risk of violent reaction.                                                        |
| n) Partition coefficient: n-octanol/water       | Not applicable for inorganic substances                                          |
| o) Vapor pressure                               | 1 hPa at 440 °C                                                                  |
| p) Density                                      | 0,968 g/cm <sup>3</sup> at 20 °C                                                 |
| Relative density                                | No data available                                                                |
| q) Relative vapor density                       | No data available                                                                |
| r) Particle characteristics                     | No data available                                                                |
|                                                 |                                                                                  |
| s) Explosive properties                         | No data available                                                                |
| t) Oxidizing properties                         | none                                                                             |

### 9.2 Other safety information

No data available



---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Reacts violently with water.

### 10.2 Chemical stability

sensitive to moisture

Contains the following stabilizer(s):

paraffin oils ( %)

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Alcohols

aluminium halides

ammonium compounds

Ammonium salts

metallic salts

Heavy metal salts

Lead oxides

Bromine

azides

halogenated benzene compounds

Halogenated hydrocarbon

organic halides

Bromoform

hydrogen bromide

Chlorine

chlorates

metallic chlorides

Chloroform

chromium(VI) oxide

Diazonium compounds

Diethyl ether

halogen oxides

Nitrobenzene

organic nitro compounds

iodides

alkylnitrates

nitrites

Moisture.

Fluorine

Hydrogen fluoride

halogens

hydrazines

Hydrazine hydrate

iodine

halogen-halogen compounds

methyl iodine



Peroxides  
Cobalt compounds  
Carbon dioxide (CO<sub>2</sub>)  
halogen compounds  
Nitro compounds  
Nitromethane  
Organic Substances  
perchlorates  
phosphorus halides  
phosphorous oxichloride  
mercury compounds  
mercury oxide  
nitric acid (conc.)  
hydrochloric acid  
Oxygen  
Acid chlorides  
Acids  
sulfur  
Sulfur dichloride  
Sulfur compounds  
Halogenated compounds  
Carbonyl sulfide  
silver oxide  
silver salt  
silicon compounds  
boron compounds  
tetrachloromethane  
Water  
hydrogen peroxide  
tin (II) chloride  
Exothermic reaction with:  
Hydrogen chloride gas  
Dimethylformamide  
ethanol  
Mercury  
selenium  
Tellurium  
Risk of ignition or formation of inflammable gases or vapours with:  
hydroxylamine  
Potassium  
Activated charcoal  
organic solvents  
Air  
nitrosyl compounds  
nitryl compounds  
sulphur dioxide  
hydrogen sulphide  
nitrogen oxides  
trichloroethene  
Carbon monoxide  
with  
Water



#### 10.4 Conditions to avoid

Strong heating.  
Moisture.

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhalation: No data available

Dermal: No data available

##### Skin corrosion/irritation

Remarks: No data available

##### Serious eye damage/eye irritation

Remarks: No data available

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

No data available

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

No data available

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available

#### 11.2 Additional Information

##### Endocrine disrupting properties

##### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article



57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Decomposition of the substance with tissue moisture.

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|                                                     |                                                                                     |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - 1.640 mg/l - 48 h<br>Remarks: (ECOTOX Database) |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

|            |                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Possible decomposition products in case of hydrolysis are:

Sodium hydroxide

Discharge into the environment must be avoided.



---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No data available

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1428

IMDG: 1428

IATA: 1428

### 14.2 UN proper shipping name

ADR/RID: SODIUM

IMDG: SODIUM

IATA: Sodium

Passenger Aircraft: Not permitted for transport

### 14.3 Transport hazard class(es)

ADR/RID: 4.3

IMDG: 4.3

IATA: 4.3

### 14.4 Packaging group

ADR/RID: I

IMDG: I

IATA: I

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (B/E)

Further information : No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

O1 OTHER HAZARDS

O2 OTHER HAZARDS

#### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.



---

## SECTION 16: Other information

### Full text of H-Statements

|        |                                                                                |
|--------|--------------------------------------------------------------------------------|
| H260   | In contact with water releases flammable gases which may ignite spontaneously. |
| H314   | Causes severe skin burns and eye damage.                                       |
| H318   | Causes serious eye damage.                                                     |
| EUH014 | Reacts violently with water.                                                   |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact



with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

