

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 21.06.2024 Print Date 26.08.2025 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Barium sulfate

Product Number : 243353 Brand : SIGALD

REACH No. : 01-2119491274-35-XXXX

CAS-No. : 7727-43-7

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

## 1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.2 Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SIGALD- 243353 Page 1 of 11

A

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Synonyms : Baryte

Formula : BaO<sub>4</sub>S

Molecular weight : 233,39 g/mol CAS-No. : 7727-43-7 EC-No. : 231-784-4

No components need to be disclosed according to the applicable regulations.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed No data available

SIGALD- 243353 Page 2 of 11

A

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Barium oxide

Not combustible.

Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

No special precautionary measures necessary.

#### 6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 243353 Page 3 of 11



#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Ingredients with workplace control parameters**

## 8.2 Exposure controls

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

uii contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

No special precautionary measures necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Physical state solid

SIGALD- 243353 Page 4 of 11

A

b) Color No data available c) Odor odorless d) Melting Melting point: 1.380 °C point/freezing point e) Initial boiling point Not applicable, (decomposition) and boiling range Flammability (solid, The product is not flammable. f) gas) g) Upper/lower No data available flammability or explosive limits h) Flash point does not flash No data available i) Autoignition temperature ca. 1.600 °C Decomposition j) temperature 3,5 - 10,0 at 100 g/l at 20 °C k) рΗ suspension I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available m) Water solubility 0,0031 g/l at 20 °C n) Partition coefficient: Not applicable for inorganic substances n-octanol/water o) Vapor pressure low 4,5 g/cm3 at 20 °C p) Density Relative density No data available Relative vapor No data available density r) Particle No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### .2 Other safety information

characteristics

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

SIGALD- 243353 Page 5 of 11

A

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Risk of explosion with:

powdered aluminium

with

Heat.

Risk of ignition or formation of inflammable gases or vapours with:

phosphorus

Exothermic reaction with:

Potassium

#### 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male - 307.000 mg/kg

(OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - In vitro study Result: negative

(OECD Test Guideline 439)

Remarks: The value is given in analogy to the following substances: Barium chloride

dihydrate

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: The value is given in analogy to the following substances: Barium chloride

dihydrate

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

SIGALD- 243353 Page 6 of 11



Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: Barium chloride dihydrateTest Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Remarks: The value is given in analogy to the following substances: Barium chloride

dihydrateTest Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: The value is given in analogy to the following substances: Barium chloride

dihydrate Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

## **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: CR0600000

Prolonged inhalation of dust may cause baritosis, a benign pneumoconiosis. If ingested, the presence of soluble barium salts as impurities may cause toxic reactions due to bioaccumulation., Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Since the substance is poorly absorbed, no hazardous properties are to be anticipated.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

Handle in accordance with good industrial hygiene and safety practice.

SIGALD- 243353 Page 7 of 11

A

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 174 mg/l - 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

Barium chloride dihydrate

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

Barium chloride dihydrate

(barium sulphate)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - >=

100 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

Barium chloride dihydrate

(barium sulphate)

Toxicity to bacteria Remarks: The value is given in analogy to the following substances:

Barium chloride dihydrate

(barium sulphate)

Toxicity to semi-static test NOEC - Danio rerio (zebra fish) - >= 100 mg/l - 33

fish(Chronic toxicity) d

(OECD Test Guideline 210)

Remarks: The value is given in analogy to the following substances:

Barium chloride dihydrate

#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

SIGALD- 243353 Page 8 of 11



#### 12.7 Other adverse effects

No ecological problems are to be expected when the product is handled and used with due care and attention.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: - IMDG: - IATA: -

## 14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

## 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

#### 14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

No data available

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## Authorisations and/or restrictions on use

SIGALD- 243353 Page 9 of 11

A

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

SIGALD- 243353 Page 10 of 11



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 243353 Page 11 of 11

