

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 02.07.2024 Print Date 01.10.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Trifluoromethanesulfonic acid for synthesis

Product Number : 8.21166 Catalogue No. : 821166 Brand : Millipore

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration or the

annual tonnage does not require a registration.

CAS-No. : 1493-13-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Chemical for synthesis

.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

Millipore- 8.21166 Page 1 of 13



1B) damage.

Specific target organ toxicity single exposure, (Category 3), Respiratory system

H335: May cause respiratory irritation.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Danger

Signal Word

Hazard Statements

May be corrosive to metals. H290 H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

**Precautionary Statements** 

Keep only in original packaging. P234 P261 Avoid breathing mist or vapors.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312

unwell.

IF ON SKIN (or hair): Take off immediately all contaminated P303 + P361 + P353

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

**Precautionary Statements** 

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF ON SKIN (or hair): Take off immediately all contaminated P303 + P361 + P353

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Millipore- 8.21166 Page 2 of 13



Supplemental Hazard Statements none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : CHF3O3S Molecular weight : 150,08 g/mol CAS-No. : 1493-13-6 EC-No. : 216-087-5

Component		Classification	Concentration
trifluoromethane	sulphonic acid		
CAS-No.	1493-13-6	Met. Corr. 1; Acute Tox.	4; <= 100 %
EC-No.	216-087-5	Skin Corr. 1B; STOT SE	
		H290, H302, H314, H33	5

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Millipore- 8.21166 Page 3 of 13

A

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

Foam Water

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Hydrogen fluoride

Not combustible.

Caution! in contact with water product releases:

Hydrogen fluoride

Fire may cause evolution of:

Hydrogen fluoride, Sulfur oxides

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Ambient fire may liberate hazardous vapours.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

Millipore- 8.21166 Page 4 of 13

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Keep workplace dry. Do not allow product to come into contact with water.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

No metal containers.

Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

#### Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

Millipore- 8.21166 Page 5 of 13

M

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

#### **Body Protection**

Acid-resistant protective clothing

# **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state liquid b) Color yellow c) Odor pungent

d) Melting Melting point: -40 °C

point/freezing point

e) Initial boiling point and boiling range

162 °C at 1.013 hPa

Flammability (solid,

No data available

gas)

No data available

g) Upper/lower flammability or explosive limits

> 166,7 °C - Pensky-Martens closed cup - Regulation (EC) No. h) Flash point

440/2008, Annex, A.9

Millipore- 8.21166 Page 6 of 13



i) Autoignition No data available temperature

j) Decomposition No data available temperature

k) pH 0,11

l) Viscosity Viscosity, kinematic: 1,227 - 1,251 mm2/s at 40 °C - OECD Test

Guideline 1141,864 - 1,881 mm2/s at 20 °C - OECD Test

Guideline 114

Viscosity, dynamic: 3,169 - 3,197 mPa.s at 20 °C - OECD Test

Guideline 1142,086 - 2,127 mPa.s at 40 °C - OECD Test

Guideline 114

m) Water solubility 1.600 g/l at 20 °C - OECD Test Guideline 105- soluble

n) Partition coefficient: log Pow: < 0,3 at 25 °C - Bioaccumulation is not expected.

n-octanol/water

o) Vapor pressure 3,2 hPa at 25 °C

p) Density 1,696 g/cm3 at 20 °C

Relative density No data available q) Relative vapor No data available

density

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

bases

Exothermic reaction with:

Water

Millipore- 8.21166 Page 7 of 13

A

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

Metals, Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 1.605,3 mg/kg

(OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

Skin - Rabbit Result: Corrosive

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: Did not cause sensitization on laboratory animals.

(OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative Carcinogenicity

No data available

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

Millipore- 8.21166 Page 8 of 13

A

#### 11.2 Additional Information

## **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 1.000 mg/kg

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 48 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata - 5,7 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to daphnia

semi-static test NOEC - Daphnia magna (Water flea) - >= 100 mg/l

and other aquatic - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 301D)

#### 12.3 Bioaccumulative potential

No data available

Millipore- 8.21166 Page 9 of 13

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

## **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

## 14.1 UN number

ADR/RID: 3265 IMDG: 3265 IATA: 3265

#### 14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoromethanesulphonic acid) IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (trifluoromethanesulphonic acid)

IATA: Corrosive liquid, acidic, organic, n.o.s. (trifluoromethanesulphonic acid)

# 14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

#### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

Millipore- 8.21166 Page 10 of 13



# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Millipore- 8.21166 Page 11 of 13



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 8.21166 Page 12 of 13

M

Millipore- 8.21166 Page 13 of 13

